|        | Provider Number | Hospital Name                             |
|--------|-----------------|---|
| 220060 |                 | JORDAN HOSPITAL INC                       |
| 220020 |                 | SAINT ANNE'S HOSPITAL                     |
| 220110 |                 | BRIGHAM AND WOMEN'S HOSPITAL              |
| 220086 |                 | BETH ISRAEL DEACONESS MEDICAL CENTER      |
| 220052 |                 | SIGNATURE HEALTHCARE<br>BROCKTON HOSPITAL |
| 220100 |                 | SOUTH SHORE HOSPITAL                      |
| 220135 |                 | FALMOUTH HOSPITAL                         |
| 220074 |                 | SOUTHCOAST HOSPITAL GROUP, INC            |
| 410006 |                 | NEWPORT HOSPITAL                          |
| 220116 |                 | TUFTS MEDICAL CENTER                      |
| 410007 |                 | RHODE ISLAND HOSPITAL                     |
| 220111 |                 | GOOD SAMARITAN MEDICAL<br>CENTER          |
| 220012 |                 | CAPE COD HOSPITAL                         |
| 220071 |                 | MASSACHUSETTS GENERAL<br>HOSPITAL         |
| 220073 |                 | MORTON HOSPITAL                           |

Page 1 of 5 08/22/2012

| Percent of patients who were given an evaluation of Left Ventricular Systolic |
|---|
| Dysfunction (LVSD)  |

| Dysiunction (LVSD) |     |
|--------------------|-----|
|                    | 99% |
| 10                 | 00% |
| 10                 | 00% |
| 10                 | 00% |
|                    | 00% |
| 10                 | 00% |
| 10                 | 00% |
| •                  | 99% |
|                    | 99% |
| 10                 | 00% |
| 10                 | 00% |
| 10                 | 00% |
| 10                 | 00% |
| 10                 | 00% |
| · ·                | 98% |

Page 2 of 5 08/22/2012

### Percent of Heart Failure Patients Given ACE Inhibitor or ARB for Left Ventricular Systolic Dysfunction (LVSD)

| Systeme Dystation (Evol) |      |
|--------------------------|------|
|                          | 96%  |
|                          | 96%  |
|                          | 99%  |
|                          | 93%  |
|                          | 100% |
|                          | 98%  |
|                          | 100% |
|                          | 92%  |
|                          | 95%  |
|                          | 99%  |
|                          | 98%  |
|                          | 95%  |
|                          | 90%  |
|                          | 98%  |
|                          | 98%  |

Page 3 of 5 08/22/2012

| Percent of Heart Failure Patients Given Discharge Instructions |
|--|
| 90%  |
| 98%  |
| 100%   |
| 98%  |
| 96%  |
| 95%  |
| 97%  |
| 91%  |
| 89%  |
| 98%  |
| 92%  |
| 86%  |
| 84%  |
| 88%  |
| 93%  |

Page 4 of 5 08/22/2012

| Percent of Heart F | Failure Patients | Given Smoking | Cessation Adv | ice/Counselina |
|--------------------|------------------|---------------|---------------|----------------|
|                    |                  |               |               |                |

| 100% |
|------|
| 100% |
| 100% |
| 100% |
| 100% |
| 100% |
| 100% |
| 96%  |
| 100% |
| 100% |
| 100% |
| 100% |
| 81%  |
| 100% |
| 100% |

Page 5 of 5 08/22/2012